


Mach 1 ROCKET LPX

LEAST EXPENSIVE semi-automatic with pre-stretch; with enhanced controls; for smaller load sizes; with ramp options.

\$6,990 USD **\$7,990** CAD



[Click above to see more.](#)

[CONTACT REQUEST](#)

[LIST SIMILAR PRODUCTS](#)

[LIST ALL MACHINES](#)

Product Information

Manufacturer: Mach 1 Packaging Ltd.

Model: ROCKET LPX

State: New

Type: Turntable

Structure: Low Profile

Controls: Semi-Automatic

Film Carriage: Powered Pre-Stretch

Mach 1 ROCKET LPX Low Profile Semi-automatic Pallet Stretch Wrapper

This is a **very popular** product, meeting the demand for a standard duty, low profile turntable, semi-automatic, with pre-stretch, capable of wrapping the **majority of industry standard load sizes**, that is forklift portable (front and rear), and has available options to meet some common needs.

ADVANTAGES

- Semi-automatic machine, does not require the active participation of the operator throughout the whole wrap cycle, allowing him/her to work productively elsewhere while the load is wrapped automatically
- Pre-stretch film carriage maximizes the stretching of the film, significantly reducing the cost of packaging per load
- Pre-stretch produces superior shipping package
- Available options accommodate needs for over-sized (taller) loads and wrap pattern variations
- Fork lift portable
- No air supply required
- Minimal installation costs

DISADVANTAGES

- Requires operator to manually load the turntable, attach the film to the load, start the wrap cycle, cut and seal the film, and remove the load from the turntable
- Load supporting turntable has maximum load weight limitations
- May not be suitable for unstable loads which cannot accommodate rotation
- Turntable wearing parts require more frequent maintenance
- Need ramp to load with pallet trucks or powered-walkies

Common Options:

- Standard duty loading ramp for pallet jack
- Extended heavy duty ramp for electrical walkie
- 12" wrap height extension for taller loads
- Load sensing photoeye for dark loads

- 3 program switch for various load types

SPECIFICATIONS:

Performance:


- Rotation Speed: 0-16 RPM
- Loads Per Hour: Up to 40 LPH (Dependant upon wrap pattern selection, loading method, and operator proficiency.)

Load Specifications:

- Maximum Load Size: 48" W x 48" L x 86" H (68" Load diagonal)
- Maximum Load Weight: 5,000 lbs

Film Delivery:

- Film Delivery: Mach 1 "X-STRETCH" pre-stretch film carriage
- Pre-stretch: 200% Factory default pre-stretch level (other pre-stretch levels available)
- Post-stretch: Electronic film tension control
- Film Type: Machine film, 20" Roll width, 10" Diameter



Rotation System:

- Turntable Rotation System: Chain driven, 1/2 HP 90 VDC (Raytron DC drive board)
- Turntable Diameter: 59"
- Support: PRO-GLIDE turntable support system



Lift System:

- Film Carriage Lift: Chain driven, 1/2 HP 90 VDC (Raytron DC drive board)

Power Requirements:

- Power Requirement: 120 VAC, 15A, Single Phase, 60 Hz
- Pneumatic Requirement: none

Controls:

- Controller: DIGI-TECH control unit (Raytron micro-controller)
- Operator Interface: Membrane keypad with digital display
- Wrap Programs: Standard wrap up & down, gentle cycle feature (for light or unstable pallets), reinforce wrap function, and more
- Wrap Parameters: Top wraps (1 to 10), bottom wraps (1 to 10)



Cut and Seal:

- Manual process, by operator

Construction:

- Frame: Welded steel
- Portability: Forklift lifting tubes, front and rear (Not shown on some documentation!)

Warranty:

- 3 years parts, 3 years workmanship, lifetime on pre-stretch rollers, manufacturer's warranty

Delivery: Shipping services or factory pick up are available. Production lead times vary according to season, model, and options chosen. Please contact us for details.

Attachment: Mach 1 ROCKET LPX-HPX- Sales Brochure.pdf

Attachment: Wrapper Direct - Mach 1 ROCKET LPX - Product Detail Sheet

Attachment: Mach 1 ROCKET LPX - 3D.jpg

Product Options

- Standard equipment options allow you to adapt the machine for oversize and heavier loads.
- Other options allow you to streamline your production process and increase efficiency.
- Custom options and modifications are available to meet specific needs.

Pricing for options is in CAD or USD.

Discounts off list pricing shown may be available.

└─ LOADING RAMPS

Yes

Mach 1 LOADING RAMP - Standard ramp for manual pallet jack use; 12" flat and 48" incline by 48" wide (ROCKET L/LP/LPX, SONIC LPX/LPS/LPA)

Yes+ \$925.00

Mach 1 LOADING RAMP - Heavy duty ramp for powered walkies [walk behind and ride-on]; 24" flat and 48" incline by 48" wide (ROCKET L/LP/LPX, SONIC LPX/LPS/LPA)

Yes+ \$1,225.00

Mach 1 LOADING RAMP - CUSTOM heavy duty ramp for powered pallet jack; eg. 48" flat and 48" incline by 48" wide (ROCKET L/LP/LPX, SONIC LPX/LPS/LPA) * FACTORY QUOTE REQUIRED *

Yes \$0.00

└ OVERSIZED LOADS

Yes

Mach 1 OVERSIZED LOAD - 98" wrap height; increase maximum capacity from 86" to 98" H (ROCKET LP/LPX, SONIC LPX/LPS/HPA/LPA)

Yes+ \$350.00

└ PROCESS IMPROVEMENT OPTIONS

Yes

Mach 1 MISCELLANEOUS OPTION - Height detection photo-eye upgrade for dark or glossy products (ROCKET LP/HP/LPX/HPX, SONIC LPX/LPS/HPX/HPA/LPA/RTX/RTG)

Yes+ \$355.00

Mach 1 MISCELLANEOUS OPTION - Independent settings switch for 3 load types; Allows all machine functions to be set differently for up to 3 different load types (ROCKET LP/HP/LPX/HPX, SONIC LPX/LPS/HPX)

Yes+ \$125.00

Mach 1 MISCELLANEOUS OPTION - Base mounted adjustable roping bar (ROCKET LP/HP/LPX/HPX, SONIC LPX/LPS/HPX)

Yes+ \$150.00

Special requests or requirements:

 Mach 1 Packaging Videos



Semi-automatic Turntable



"Gentle Cycle" Control Option



Rotary Tower Semi-automatic



"Portable" Automatic



Fully Automatic ConveyORIZED Turntable

* All products are designed for operation in a typical warehouse environment (dry, clean, heated).

Options may be available to adapt these machines for operation in other environments (eg. cold, wet, dusty, etc.).

Operation of these machines in conditions for which they were not designed might reduce the life expectancy of the machine and/or negate the warranty.

Have Questions? Need More Information?

There are 5 ways to get in touch with Wrapper Direct.

Call us toll free at **1-888-908-8639**, email our sales team ***sales@wrapperdirect.com*** or contact us via the links below:

CONTACT FORM

NEEDS ASSESSMENT

FOLLOW UP REQUEST

